

Food Establishment Inspection Report

Score: 98.5

Establishment Name: MEDICAL PARK HOSPITAL CAFETERIA

Establishment ID: 3034010267

Location Address: 1950 HAWTHORNE ROAD

City: WINSTON-SALEM State: North Carolina

Zip: 27103 County: 34 Forsyth

Permittee: NOVANT HEALTH

Telephone: (336) 718-5043

☒ Inspection ☐ Re-Inspection**Wastewater System:**☒ Municipal/Community ☐ On-Site System**Water Supply:**☒ Municipal/Community ☐ On-Site Supply

Date: 02/02/2023 Status Code: A

Time In: 10:00 AM Time Out: 1:00 PM

Category#: IV

FDA Establishment Type: Hospital

No. of Risk Factor/Intervention Violations: 1

No. of Repeat Risk Factor/Intervention Violations: 0

Foodborne Illness Risk Factors and Public Health Interventions

Risk factors: Contributing factors that increase the chance of developing foodborne illness.

Public Health Interventions: Control measures to prevent foodborne illness or injury

Compliance Status		OUT	CDI	R	VR
Supervision .2652					
1	<input checked="" type="checkbox"/> OUT/N/A	PIC Present, demonstrates knowledge, & performs duties	1	0	
2	<input checked="" type="checkbox"/> OUT/N/A	Certified Food Protection Manager	1	0	
Employee Health .2652					
3	<input checked="" type="checkbox"/> OUT	Management, food & conditional employee; knowledge, responsibilities & reporting	2	1	0
4	<input checked="" type="checkbox"/> OUT	Proper use of reporting, restriction & exclusion	3	1.5	0
5	<input checked="" type="checkbox"/> OUT	Procedures for responding to vomiting & diarrheal events	1	0.5	0
Good Hygienic Practices .2652, .2653					
6	<input checked="" type="checkbox"/> OUT	Proper eating, tasting, drinking or tobacco use	1	0.5	0
7	<input checked="" type="checkbox"/> OUT	No discharge from eyes, nose, and mouth	1	0.5	0
Preventing Contamination by Hands .2652, .2653, .2655, .2656					
8	<input checked="" type="checkbox"/> OUT	Hands clean & properly washed	4	2	0
9	<input checked="" type="checkbox"/> OUT/N/A/N/O	No bare hand contact with RTE foods or pre-approved alternate procedure properly followed	4	2	0
10	<input checked="" type="checkbox"/> OUT/N/A	Handwashing sinks supplied & accessible	2	1	0
Approved Source .2653, .2655					
11	<input checked="" type="checkbox"/> OUT	Food obtained from approved source	2	1	0
12	<input checked="" type="checkbox"/> IN OUT	Food received at proper temperature	2	1	0
13	<input checked="" type="checkbox"/> OUT	Food in good condition, safe & unadulterated	2	1	0
14	<input checked="" type="checkbox"/> IN OUT	Required records available: shellstock tags, parasite destruction	2	1	0
Protection from Contamination .2653, .2654					
15	<input checked="" type="checkbox"/> OUT/N/A/N/O	Food separated & protected	3	1.5	0
16	<input checked="" type="checkbox"/> OUT	Food-contact surfaces: cleaned & sanitized	3	1.5	0
17	<input checked="" type="checkbox"/> OUT	Proper disposition of returned, previously served, reconditioned & unsafe food	2	1	0
Potentially Hazardous Food Time/Temperature .2653					
18	<input checked="" type="checkbox"/> OUT/N/A/N/O	Proper cooking time & temperatures	3	1.5	0
19	<input checked="" type="checkbox"/> IN OUT/N/A/N/O	Proper reheating procedures for hot holding	3	1.5	0
20	<input checked="" type="checkbox"/> OUT/N/A/N/O	Proper cooling time & temperatures	3	1.5	0
21	<input checked="" type="checkbox"/> OUT/N/A/N/O	Proper hot holding temperatures	3	1.5	0
22	<input checked="" type="checkbox"/> IN OUT/N/A/N/O	Proper cold holding temperatures	3	0	X
23	<input checked="" type="checkbox"/> OUT/N/A/N/O	Proper date marking & disposition	3	1.5	0
24	<input checked="" type="checkbox"/> IN OUT	Time as a Public Health Control; procedures & records	3	1.5	0
Consumer Advisory .2653					
25	<input checked="" type="checkbox"/> IN OUT	Consumer advisory provided for raw/undercooked foods	1	0.5	0
Highly Susceptible Populations .2653					
26	<input checked="" type="checkbox"/> OUT/N/A	Pasteurized foods used; prohibited foods not offered	3	1.5	0
Chemical .2653, .2657					
27	<input checked="" type="checkbox"/> IN OUT	Food additives: approved & properly used	1	0.5	0
28	<input checked="" type="checkbox"/> OUT/N/A	Toxic substances properly identified stored & used	2	1	0
Conformance with Approved Procedures .2653, .2654, .2658					
29	<input checked="" type="checkbox"/> IN OUT	Compliance with variance, specialized process, reduced oxygen packaging criteria or HACCP plan	2	1	0

Good Retail Practices

Good Retail Practices: Preventative measures to control the addition of pathogens, chemicals, and physical objects into foods.

Compliance Status		OUT	CDI	R	VR
Safe Food and Water .2653, .2655, .2658					
30	<input checked="" type="checkbox"/> OUT/N/A	Pasteurized eggs used where required	1	0.5	0
31	<input checked="" type="checkbox"/> OUT	Water and ice from approved source	2	1	0
32	<input checked="" type="checkbox"/> IN OUT	Variance obtained for specialized processing methods	2	1	0
Food Temperature Control .2653, .2654					
33	<input checked="" type="checkbox"/> OUT	Proper cooling methods used; adequate equipment for temperature control	1	0.5	0
34	<input checked="" type="checkbox"/> IN OUT	Plant food properly cooked for hot holding	1	0.5	0
35	<input checked="" type="checkbox"/> IN OUT	Approved thawing methods used	1	0.5	0
36	<input checked="" type="checkbox"/> OUT	Thermometers provided & accurate	1	0.5	0
Food Identification .2653					
37	<input checked="" type="checkbox"/> OUT	Food properly labeled: original container	2	1	0
Prevention of Food Contamination .2652, .2653, .2654, .2656, .2657					
38	<input checked="" type="checkbox"/> OUT	Insects & rodents not present; no unauthorized animals	2	1	0
39	<input checked="" type="checkbox"/> OUT	Contamination prevented during food preparation, storage & display	2	1	0
40	<input checked="" type="checkbox"/> OUT	Personal cleanliness	1	0.5	0
41	<input checked="" type="checkbox"/> OUT	Wiping cloths: properly used & stored	1	0.5	0
42	<input checked="" type="checkbox"/> OUT/N/A	Washing fruits & vegetables	1	0.5	0
Proper Use of Utensils .2653, .2654					
43	<input checked="" type="checkbox"/> OUT	In-use utensils: properly stored	1	0.5	0
44	<input checked="" type="checkbox"/> OUT	Utensils, equipment & linens: properly stored, dried & handled	1	0.5	0
45	<input checked="" type="checkbox"/> OUT	Single-use & single-service articles: properly stored & used	1	0.5	0
46	<input checked="" type="checkbox"/> OUT	Gloves used properly	1	0.5	0
Utensils and Equipment .2653, .2654, .2663					
47	<input checked="" type="checkbox"/> IN OUT	Equipment, food & non-food contact surfaces approved, cleanable, properly designed, constructed & used	1	0.5	X
48	<input checked="" type="checkbox"/> OUT	Warewashing facilities: installed, maintained & used; test strips	1	0.5	0
49	<input checked="" type="checkbox"/> IN OUT	Non-food contact surfaces clean	1	0.5	X
Physical Facilities .2654, .2655, .2656					
50	<input checked="" type="checkbox"/> OUT/N/A	Hot & cold water available; adequate pressure	1	0.5	0
51	<input checked="" type="checkbox"/> OUT	Plumbing installed; proper backflow devices	2	1	0
52	<input checked="" type="checkbox"/> OUT	Sewage & wastewater properly disposed	2	1	0
53	<input checked="" type="checkbox"/> OUT/N/A	Toilet facilities: properly constructed, supplied & cleaned	1	0.5	0
54	<input checked="" type="checkbox"/> OUT	Garbage & refuse properly disposed; facilities maintained	1	0.5	0
55	<input checked="" type="checkbox"/> IN OUT	Physical facilities installed, maintained & clean	1	0.5	X
56	<input checked="" type="checkbox"/> OUT	Meets ventilation & lighting requirements; designated areas used	1	0.5	0
TOTAL DEDUCTIONS:					1.5



Comment Addendum to Food Establishment Inspection Report

Establishment Name: MEDICAL PARK HOSPITAL CAFETERIA
 Location Address: 1950 HAWTHORNE ROAD
 City: WINSTON-SALEM State: NC
 County: 34 Forsyth Zip: 27103
 Wastewater System: ☒ Municipal/Community ☐ On-Site System
 Water Supply: ☒ Municipal/Community ☐ On-Site System
 Permittee: NOVANT HEALTH
 Telephone: (336) 718-5043

Establishment ID: 3034010267

☒ Inspection ☐ Re-Inspection Date: 02/02/2023
 Comment Addendum Attached? ☒ Status Code: A
 Water sample taken? ☐ Yes ☒ No Category #: IV
 Email 1: BLFrance@NovantHealth.org
 Email 2:
 Email 3:



Temperature Observations

Effective January 1, 2019 Cold Holding is now 41 degrees or less

Item	Location	Temp	Item	Location	Temp	Item	Location	Temp
chicken	buffet line	136						
greens	buffet line	152						
tomato	on ice	47						
lettuce	on ice	60						
mac and cheese	cook temp	177						
chicken breast	cook temp	172						
gravy	cooling 1 hour	51						
hot water	3 compartment sink	132						
quat sanitizer	bucket	200						
hot water	dish machine	173						
ph value	veggie wash	3						
beef tips	walk in cooler	40						
cut vegetable merley	walk in cooler	38						
cut fruit in cups	upright cooler	38						
air temp	retail cooler	29						

First
 Person in Charge (Print & Sign): Roberto
 First
 Regulatory Authority (Print & Sign): Amanda

Last
 Moreno
 Last
 Stevens

REHS ID: 2543 - Stevens, Amanda

Verification Required Date:

REHS Contact Phone Number: (336) 703-3129

Authorize final report to
 be received via Email: _____



North Carolina Department of Health & Human Services

Page 1 of _____
 Division of Public Health • Environmental Health Section
 DHHS is an equal opportunity employer.
 Food Establishment Inspection Report, 10/2021

• Food Protection Program



Comment Addendum to Inspection Report

Establishment Name: MEDICAL PARK HOSPITAL CAFETERIA

Establishment ID: 3034010267

Date: 02/02/2023 **Time In:** 10:00 AM **Time Out:** 1:00 PM

Certifications

Name	Certificate #	Type	Issue Date	Expiration Date
Sharanda Baldwin		Food Service		02/10/2026

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.

- 22 3-501.16 (A) (2) and (B) Time / Temperature Control for Safety Food, Hot and Cold Holding (P) Sliced tomato and lettuce on ice 47-60F. Maintain TCS foods in cold holding at 41F or less. CDI. Tomato and lettuce discarded and placed with stock from walk in cooler at 37F.
- 47 4-501.11 Good Repair and Proper Adjustment - Equipment (C) 0 points. Equipment issues from last inspection have been addressed. Front prep unit not functioning due to thermostat malfunction. Work order in place for unit. No food stored inside. Equipment shall be in good repair.
- 49 4-601.11 (B) and (C) Equipment, Food-Contact Surfaces, Nonfood Contact Surfaces, and Utensils (C) 0 points. Minor cleaning needed on condensate pipe in walk in cooler to remove tape residue. Otherwise excellent cleanliness of facility. 0 points.
- 55 6-501.11 Repairing - Premises, Structures, Attachments, and Fixtures - Methods (C) 0 points. Minor caulking of cracks in tile needed on left side of men's restroom toilet. Physical facilities shall be in good repair. CDI. Area caulked during inspection.